

Belgian Textile Association

• B • T • A • SR, s.r.o.

Budovateľská 38, 080 01 Prešov

Technical file quality 5932 herringbone

28/04/2009

Quality	: 30 % cotton + 70% polyester	
Width	: 154 cm +/- 3%	methode: ISO 22198:2006
Weight	: 108 gr/m2 +/- 3%	methode: ISO 3801 - 1977
Density per cm	: 33 x 27	
Shrinkage Warp / Weft 30°C	: -1,5% / -0,5 %	
Tear force		methode: ELMENDORF ISO 13937 – 1:2000
- the warp yarns tear at	: 3,6	[kg]
- the weft yarns tear at	: 3,8	[kg]
Breaking load		methode: ISO 13934-1:1999
- the warp yarns tear at	: 55	[kg]
- the weft yarns tear at	: 45	[kg]
Colorfastness to washing at 30°C:		methode: ISO 105-C06:2010
- staining in PES	: 4/5-5	grey 4/5
- staining in cotton	: 4/5-5	4/5-5
- colorchange	: 4/5-5	4/5-5
Colorfastness to rubbing:		
Rubbing dry	: 4/5-5	4-5
Rubbing wet	: 4/5-5	3

Care instruction:



Comments: Above mentioned results are given for your guidance and are liable to undergo alterations.

Tel.: 00421 (0) 51- 77 21 635, 6, 7 , Fax: 00421 (0) 51- 7724 293