

Belgian Textile Association

• B • T • A • SR, s.r.o.

Budovateľská 38, 080 01 Prešov

## Technical file quality 6651

17/07/2012

**Quality** : 60% polyester+ 40% cotton, fluoreflective colors

**Width** : 155 cm +/- 3% methode: ISO 3832 – 1976

**Weight** : 235 gr/m2 +/- 3% methode: ISO 3801 - 1976

**Shrinkage Warp / Weft 30°C** : -1% / -1 %

**Shrinkage Warp / Weft 60°C** : -2% / -2 %

### **Tear force**

**methode: ELMENDORF ISO 13937 - 1**

- the warp yarns tear at : 3,3 [kg]

- the weft yarns tear at : 2,8 [kg]

### **Breaking load**

**methode: ISO 5081**

- the warp yarns tear at : 115 [kg]

- the weft yarns tear at : 92 [kg]

### **Colorfastness to washing at 60°C:**

**methode: ISO 105-C06:1994**

- staining in PES : 4

- staining in cotton : 3/ 4-4

- colorchange : 4/5-5

**Rubbing dry** : 4/5

**Rubbing wet** : 4/5

### **Care instruction:**



**Comments:** Above mentioned results are given for your guidance and are liable to undergo alterations.

Tel.: 00421 (0) 51- 77 21 635, 6, 7 , Fax: 00421 (0) 51- 7724 293

*Belgian Textile Association*

• B • T • A • SR, s.r.o.

Budovateľská 38, 080 01 Prešov

**Attention:**This fabric is not suitable combine with white.

**Comments:** Above mentioned results are given for your guidance and are liable to undergo alterations.

Tel.: 00421 (0) 51- 77 21 635, 6, 7 , Fax: 00421 (0) 51- 7724 293